


ASTON

○ ○ XL 100-IS-BT SPEC ○ ○




ASTON

Standard Features



Emergency Stop



Fork Pock



Outlet Kit



DSE Controller



Safety Light



Solar Panel



Fuel Supply/Return



Skid Base

XL 100-IS-BT Specifications

Prime	80kVA
Frequency (Hz)	50HZ
Rated Voltage (V)	50Hz : 200 or 380 or 400 or 415 , 60Hz : 220 or 440(Dual Voltage)
Pf (%)	0.8
Engine Make	Isuzu
Engine Model	BID4HK1X
No. of Cylinder	4
Cooling Type	Direct Injection, Turbo charged Intercooled
Total Displacement (CU)	5
Rated Output PS(kW)	131(96.3)
RPM	1500RPM
Fuel (L)	Diesel Fuel Oil
Tank Capacity (L)	740
Fuel Consumption (L/H @ 75%)	13.2
Lubricating Oil Capacity (L)	21
Cooling Water Capacity (L)	22
Battery Capacity (5hrs)	170F51(120)
Dimensions (LxWxH)	2,930 X 1,250 X 2,060
Wet Weight	2968
Control	Key Start
Sound Level (dBA)	60

XL SERIES

XL is the workhorse of the Aston Electric Range. Bulletproof, efficient, reliable, and flexible, the robust simplicity of the XL Range makes it the generator of choice for serious fleet owners.

XL-BT SERIES

The XL Big Tank range also includes a bundled long range fuel tank base with 48 hours autonomy.

WH SERIES

With sound levels as low as 50dba, Aston Electric Whisper Series Generators deliver industry leading sound suppression for noise sensitive sites and applications.

WH-BT SERIES

The Whisper Big Tank Series of generators are efficient, silent, autonomous, reliable, and unbreakable.




Other Products Available for sale and rental

purple
GlowBug



Hydrogen Light tower

purple
Skidibee



Stackable Solar

purple



Purple Pod



Purple Cube



Hydrogen

ASTON ELECTRIC



XL SERIES



XL AND WH



WHISPER

FUCHTARDT



Lift & Shift



Static Storage



Containers

PIRATE SMART-TANKS



Lift & Shift



Static Storage



Tow tanks

SUMO PLUG N PLAY GEAR



Handheld Range



Midsize Distribution



Hardwire