

1300 415 240 myntgroup.com.au

Tow Tanks: TT 2,000

SELF BUNDED (DOUBLE WALL), REGISTERED



Containerised Fully Bunded (Double Wall)



Storage and Dispensing of Diesel, Lubricants, Kerosene, Petrol & Waste Oil



Culus Listed, tested to UL requirements



Low Profile Trailers

Safer Fuel Cells

This innovative self bunded trailer range meets the requirements of the Mining, Civil Construction, Hire Industry and General Industrial Markets. A low profile, low centre of gravity, aerodynamic style trailer to deliver a smooth, safe towing experience.. •True self bunded, tank in tank design. The inner tank can be removed from the outer tank for long term testing, cleaning and maintenance.

•Tank module can be removed for maintenance.

•Bunded Lockable Pump Bay Housing. •Tank fueling area features mechanical level gauge, numerous spare ports for connection of support equipment, anti static fill tube and weatherproof recessed housing.

Adaptable Fuel Cells

Meets requirements for towing of fuel in accordance with Australia Dangerous Goods Transport regulations. For hire company applications or stationary equipment connection requirements (such as generators, lighting towers, pumps etc). We provide 2 x suction connection (with foot valves) points and 2 x return connection points located at the rear of the trailer for simple / quick connection to site equipment.

Models



Options Available

Solar Panel Fire extinguisher, wheel chocks and stainless steel brackets, reflective tape, wheel nut indicators.



Specifications

Capacity	2,000L
Lenght (mm)	4565 x 1839 x 1629
Empty Weight (kg)	1300.0
Registered	Yes
Brake system	Electrical
Amber Light	12V DC

myntgroup.com.au PH: 1300 415 240









ELECTRIC














1300 415 240 myntgroup.com.au

Product Family

GENERATORS 6KVA - 1500KVA





DISTRIBUTION 10A - 1000A

