



Data Sheet

Super Jumbo 250



SUPER JUMBO



Super Jumbo 250

Trolley mount, Soft ground stabilisers, Easy access for maintenance, Perspex inner door, Glass-Fibre Reinforced Polyester body No Rust, Lightweight IP66

Connection

Hardwired

Weight (Kg's)

95 Kg



Dimensions

1,460 (H) x 1,000 (W) x 700 (D)



Supply Rating N/A

250A - 415V



Take off 3 Phase 5 x 32A CEE Form

N/A



IP Rating

IP66

32 Amp Outlets

5 x 32A CEE Form

63 Amp Outlets

1 x 63A CEE Form

Protection

Class A or B

Outlets - 1 Phase

1 x 16A 3 Pin CEE-Form Outlet,

Outlets - 3 Phase Trolley

3 x 63A 5 Pin CEE-Form Outlets, 4 x 32A 5 Pin CEE-


Other Products Available for sale and rental

purple
GlowBug



Hydrogen Light tower

purple
Skidibee



Stackable Solar

purple



Purple Pod



Purple Cube



Hydrogen

ASTON ELECTRIC



XL SERIES



XL AND WH



WHISPER

FUCHTARDT



Lift & Shift



Static Storage



Containers

PIRATE SMART-TANKS



Lift & Shift



Static Storage



Tow tanks

SUMO PLUG N PLAY GEAR



Handheld Range



Midsize Distribution



Hardwire