



Data Sheet

# Super Jumbo 630



SUPER JUMBO



# Super Jumbo 630

Trolley mount, Soft ground stabilisers, Easy access for maintenance, Perspex inner door, Glass-Fibre Reinforced Polyester body No Rust, Lightweight IP66

Connection

**Hardwired**

Weight (Kg's)

**135 Kg**



Dimensions

**1,460 (H) x 1,000 (W) x 700 (D)**



Supply Rating 400A, 250A, 160A

**630A - 415V**



Take off 3 Phase 4 x 32A CEE Form

**400A, 250A, 160A**



IP Rating

**IP66**

32 Amp Outlets

**4 x 32A CEE Form**

63 Amp Outlets

**8 x 63A CEE Form**

Protection

**Class A or B**

Outlets - 1 Phase

**4 x 32A CEE Form**

Outlets - 3 Phase Trolley

**4 x 32A CEE Form**


# Other Products Available for sale and rental

purple  
**GlowBug**



Hydrogen Light tower

purple  
**Skidibee**



Stackable Solar

purple



Purple Pod



Purple Cube



Hydrogen

ASTON ELECTRIC



XL SERIES



XL AND WH



WHISPER

FUCHTARDT



Lift & Shift



Static Storage



Containers

PIRATE SMART-TANKS



Lift & Shift



Static Storage



Tow tanks

SUMO PLUG N PLAY GEAR



Handheld Range



Midsize Distribution



Hardwire